Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	242	(failure near3 continu\$3) and (transmission adj1 line\$1)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:08
S2	111	S1 and ((send\$3 or receiv\$3) adj1 data)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:08
S3	15	S2 and (two adj1 transmission)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:09
S4	15	S3 and (@rlad < "20021110" or @ad < "20021110")	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:14
S 5	0	"routing and spanning tree algorithm"	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:14
S6	60	(routing and "spanning tree") adj1 algorithm	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:14
S7	2	S6 and (transmission adj1 line)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:30
S10	13	(two near2 (transmission adj1 line)) and (fail\$4 near5 stop)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:33
S11	8	S10 and (@rlad < "20021110" or @ad < "20021110")	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:46

S12	2	(two near2 (transmission adj1 line)) and ((continue near4 transmission) near fail\$4)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:44
S13	631	(\$2interrupt\$4 near2 (transmission adj1 line))	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:50
S14	35	S13 and (two adj1 transmission)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:51
S15	20	S14 and fail\$3	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:51
S16	. 20	S15 and (@rlad < "20021110" or @ad < "20021110")	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:52
S17	39	(uninterrupt\$4 near2 (transmission adj1 line))	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:50
S18	10	S17 and fail\$3	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:22
S19	35	S14 and (two adj1 transmission)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:51
S20	0	S18 and (two adj1 transmission)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:51
S21	7	S18 and (@rlad < "20021110" or @ad < "20021110")	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:52

S22	0	S18 and (redundant adj1 data)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:22
S23	1	S19 and (redundant adj1 data)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:22
S24	0	S17 and (redundant adj1 data)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:22
S25	1	S13 and (redundant adj1 data)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:23
S26	2	S1 and (redundant adj1 data)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:23
S27	13496	(two adj1 network) or (parallel adj1 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:07
S28	9218	S27 and transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:08
S29	4075	S28 and (transmit\$5 near data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:08
S30	271	S29 and (transmit\$5 near terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:08
S31	95	S30 and (send near (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:09

S32	2	S31 and (redundant near data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:11
S33	45	(transmit\$ near data) near (two near (networks lines))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:12
S34	1310	(transmit\$ near data) same (two near (networks lines))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:17
S35	0	S33 and (redundant near data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/12/20 16:12
S36	37	S33 and (@rlad < "20021110" or @ad < "20021110")	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:17
S37	425	(transmit\$ near data) same (parallel near (networks lines))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2006/12/20 16:19
S38	348	S37 and (@rlad < "20021110" or @ad < "20021110")	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:20
S39	7	S38 and (redundant near data)	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:20
540	753	(transmit\$ near data) same ((multiple or many) near (networks lines))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:19
S41	599	S40 and (@rlad < "20021110" or @ad < "20021110")	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/20 16:20

S42	3	S41 and (redundant near data)	US-PGPUB; USPAT; JPO;	OR	ON	2006/12/20 16:20
			DERWENT; IBM TDB			